

G. LITERATURE CITED

1. Andersen, P. and B. Saltin, *Maximal perfusion of skeletal muscle in man*. J Physiol, 1985. **366**: p. 233-49.
2. Rowell, L.B., *Neural control of muscle blood flow: importance during dynamic exercise*. Clin Exp Pharmacol Physiol, 1997. **24**(2): p. 117-25.
3. Marshall, R.J., A. Schirger, and J.T. Shepherd, *Blood pressure during supine exercise in idiopathic orthostatic hypotension*. Circulation, 1961. **24**: p. 76-81.
4. Anderson, K.M. and J.E. Faber, *Differential sensitivity of arteriolar alpha 1- and alpha 2-adrenoceptor constriction to metabolic inhibition during rat skeletal muscle contraction*. Circ Res, 1991. **69**(1): p. 174-84.
5. Donald, D.E., D.J. Rowlands, and D.A. Ferguson, *Similarity of blood flow in the normal and the sympathectomized dog hind limb during graded exercise*. Circ Res, 1970. **26**(2): p. 185-99.
6. Kjellmer, I., *On the competition between metabolic vasodilatation and neurogenic vasoconstriction in skeletal muscle*. Acta. Physiol. Scand., 1965. **63**: p. 450-459.
7. Remensnyder, J.P., J.H. Mitchell, and S.J. Sarnoff, *Functional sympatholysis during muscular activity*. Circ. Res., 1962. **11**: p. 370-380.
8. Thomas, G.D., J. Hansen, and R.G. Victor, *Inhibition of alpha 2-adrenergic vasoconstriction during contraction of glycolytic, not oxidative, rat hindlimb muscle*. Am J Physiol, 1994. **266**(3 Pt 2): p. H920-9.
9. Thomas, G.D., J. Hansen, and R.G. Victor, *ATP-sensitive potassium channels mediate contraction-induced attenuation of sympathetic vasoconstriction in rat skeletal muscle*. J Clin Invest, 1997. **99**(11): p. 2602-9.
10. Thomas, G.D., et al., *Impaired metabolic modulation of alpha-adrenergic vasoconstriction in dystrophin-deficient skeletal muscle*. Proc Natl Acad Sci U S A, 1998. **95**(25): p. 15090-5.
11. Thomas, G.D. and R.G. Victor, *Nitric oxide mediates contraction-induced attenuation of sympathetic vasoconstriction in rat skeletal muscle*. J Physiol, 1998. **506**(Pt 3): p. 817-26.
12. Thomas, G.D., W. Zhang, and R.G. Victor, *Impaired modulation of sympathetic vasoconstriction in contracting skeletal muscle of rats with chronic myocardial infarctions: role of oxidative stress*. Circ Res, 2001. **88**(8): p. 816-23.
13. Buckwalter, J.B. and P.S. Clifford, *The paradox of sympathetic vasoconstriction in exercising skeletal muscle*. Exerc Sport Sci Rev, 2001. **29**(4): p. 159-63.
14. Lutt, W.W., L.K. Lockhart, and D.J. Legare, *Adenosine modulation of vasoconstrictor responses to stimulation of sympathetic nerves and norepinephrine infusion in the superior mesenteric artery of the cat*. Can J Physiol Pharmacol, 1988. **66**(7): p. 937-41.
15. Lutt, W.W., *Resistance or conductance for expression of arterial vascular tone*. Microvasc Res, 1989. **37**(2): p. 230-6.
16. O'Leary, D.S., *Regional vascular resistance vs. conductance: which index for baroreflex responses?* Am J Physiol, 1991. **260**(2 Pt 2): p. H632-7.
17. Bolli, P.E., et al., *Important contribution of postjunctional alpha-2 adrenoceptor-mediated vasoconstriction to arteriolar tone in man*. J. Hypertension, 1983. **2**: p. 257-259.
18. Jie, K., et al., *Identification of vascular postsynaptic alpha 1- and alpha 2- adrenoceptors in man*. Circ Res, 1984. **54**(4): p. 447-52.
19. Jie, K., et al., *Postsynaptic alpha 1- and alpha 2-adrenoceptors in human blood vessels: interactions with exogenous and endogenous catecholamines*. Eur J Clin Invest, 1987. **17**(2): p. 174-81.
20. Kiowski, W., et al., *Alpha 2 adrenoceptor-mediated vasoconstriction of arteries*. Clin Pharmacol Ther, 1983. **34**(5): p. 565-9.
21. van Brummelen, P. and P.A. van Zwieten, *Alpha-adrenergic receptors in human blood vessels*. Br. J. Clin. Pharmacol., 1986. **21**: p. 33S-39S.

22. McGillivray-Anderson, K.M. and J.E. Faber, *Effect of acidosis on contraction of microvascular smooth muscle by alpha 1- and alpha 2-adrenoceptors. Implications for neural and metabolic regulation.* Circ Res, 1990. **66**(6): p. 1643-57.
23. McGillivray-Anderson, K.M. and J.E. Faber, *Effect of reduced blood flow on alpha 1- and alpha 2-adrenoceptor constriction of rat skeletal muscle microvessels.* Circ Res, 1991. **69**(1): p. 165-73.
24. Tateishi, J. and J.E. Faber, *Inhibition of arteriole alpha 2- but not alpha 1-adrenoceptor constriction by acidosis and hypoxia in vitro.* Am J Physiol, 1995. **268**(5 Pt 2): p. H2068-76.
25. Pohl, U. and C. De Wit, *Interaction of nitric oxide with myogenic and adrenergic vasoconstrictor processes in the control of microcirculatory blood flow.* Pflugers Arch., 1996. **432**: p. R107-R110.
26. Vatner, S.F., et al., *Effects of carotid sinus nerve stimulation on blood-flow distribution in conscious dogs at rest and during exercise.* Circ Res, 1970. **27**(4): p. 495-503.
27. O'Leary, D.S., E.D. Robinson, and J.L. Butler, *Is active skeletal muscle functionally vasoconstricted during dynamic exercise in conscious dogs?* Am J Physiol, 1997. **272**(1 Pt 2): p. R386-91.
28. Buckwalter, J.B., P.J. Mueller, and P.S. Clifford, *Autonomic control of skeletal muscle vasodilation during exercise.* J Appl Physiol, 1997. **83**(6): p. 2037-42.
29. Buckwalter, J.B., P.J. Mueller, and P.S. Clifford, *Sympathetic vasoconstriction in active skeletal muscles during dynamic exercise.* J Appl Physiol, 1997. **83**(5): p. 1575-80.
30. Buckwalter, J.B., P.J. Mueller, and P.S. Clifford, *Alpha1-adrenergic-receptor responsiveness in skeletal muscle during dynamic exercise.* J Appl Physiol, 1998. **85**(6): p. 2277-83.
31. Buckwalter, J.B. and P.S. Clifford, *Alpha-adrenergic vasoconstriction in active skeletal muscles during dynamic exercise.* Am J Physiol, 1999. **277**(1 Pt 2): p. H33-9.
32. Buckwalter, J.B., et al., *Exercise attenuates alpha-adrenergic-receptor responsiveness in skeletal muscle vasculature.* J Appl Physiol, 2001. **90**(1): p. 172-8.
33. Kagaya, A., et al., *Exhausting handgrip exercise reduces the blood flow in the active calf muscle exercising at low intensity.* Eur. J. Appl. Physiol., 1994. **68**: p. 252-257.
34. Sinoway, L.I., et al., *Sympathetic tone affects human limb vascular resistance during a maximal metabolic stimulus.* Am J Physiol, 1988. **255**(4 Pt 2): p. H937-46.
35. Sinoway, L. and S. Prophet, *Skeletal muscle metaboreceptor stimulation opposes peak metabolic vasodilation in humans.* Circ Res, 1990. **66**(6): p. 1576-84.
36. Strandell, T. and J.T. Shepherd, *The effect in humans of increased sympathetic activity on the blood flow to active muscles.* Acta Med Scand Suppl, 1967. **472**: p. 146-67.
37. Hansen, J., et al., *Differential sympathetic neural control of oxygenation in resting and exercising human skeletal muscle.* J Clin Invest, 1996. **98**(2): p. 584-96.
38. Hansen, J., et al., *Exercise-induced attenuation of alpha-adrenoceptor mediated vasoconstriction in humans: evidence from phase-contrast MRI.* Cardiovasc Res, 1999. **41**(1): p. 220-8.
39. Williams, C.A., J.G. Mudd, and A.R. Lind, *Sympathetic control of the forearm blood flow in man during brief isometric contractions.* Eur J Appl Physiol Occup Physiol, 1985. **54**(2): p. 156-62.
40. Joyner, M.J., et al., *Sympathetic modulation of blood flow and O₂ uptake in rhythmically contracting human forearm muscles.* Am J Physiol, 1992. **263**(4 Pt 2): p. H1078-83.
41. Hansen, J., et al., *Metabolic modulation of sympathetic vasoconstriction in human skeletal muscle: role of tissue hypoxia.* J Physiol, 2000. **527 Pt 2**: p. 387-96.
42. Hansen, J., M. Sander, and G.D. Thomas, *Metabolic modulation of sympathetic vasoconstriction in exercising skeletal muscle.* Acta Physiol Scand, 2000. **168**(4): p. 489-503.
43. Engelke, K.A., et al., *Does sympathetic activation blunt nitric oxide-mediated hyperemia in the human forearm?* Clin Auton Res, 1997. **7**(2): p. 85-91.
44. Smits, P., et al., *Adenosine attenuates the response to sympathetic stimuli in humans.* Hypertension, 1991. **18**(2): p. 216-23.
45. Seals, D.R. and M.D. Esler, *Human ageing and the sympathoadrenal system.* J. Physiol. (Lond.), 2000. **528**: p. 407-417.

46. Dinunno, F.A., et al., *Limb blood flow and vascular conductance are reduced with age in healthy humans: relation to elevations in sympathetic nerve activity and declines in oxygen demand.* Circulation, 1999. **100**(2): p. 164-70.
47. Dinunno, F.A., et al., *Age-related decreases in basal limb blood flow in humans: time course, determinants and habitual exercise effects.* J Physiol, 2001. **531**(Pt 2): p. 573-9.
48. Proctor, D.N., et al., *Reduced leg blood flow during dynamic exercise in older endurance-trained men.* J Appl Physiol, 1998. **85**(1): p. 68-75.
49. Flaim, S.F., et al., *The effects of norepinephrine on active hyperemia in the canine gracilis muscle.* Circ Res, 1979. **44**(5): p. 660-6.
50. Thompson, L.P. and D.E. Mohrman, *Blood flow and oxygen consumption in skeletal muscle during sympathetic stimulation.* Am J Physiol, 1983. **245**(1): p. H66-71.
51. Nellis, S.H., et al., *alpha-Stimulation protects exercise increment in skeletal muscle oxygen consumption.* Am J Physiol, 1980. **238**(3): p. H331-9.
52. Joyner, M.J. and J.R. Halliwill, *Sympathetic vasodilatation in human limbs.* J Physiol, 2000. **526 Pt 3**: p. 471-80.
53. Dietz, N.M., et al., *Evidence for nitric oxide-mediated sympathetic forearm vasodilatation in humans.* J Physiol, 1997. **498**(Pt 2): p. 531-40.
54. Halliwill, J.R., et al., *Forearm sympathetic withdrawal and vasodilatation during mental stress in humans.* J Physiol, 1997. **504**(Pt 1): p. 211-20.
55. Reed, A.S., et al., *Skeletal muscle vasodilatation during sympathoexcitation is not neurally mediated in humans.* J Physiol, 2000. **525 Pt 1**: p. 253-62.
56. Brock, R.W., et al., *Effects of acetylcholine and nitric oxide on forearm blood flow at rest and after a single muscle contraction.* J Appl Physiol, 1998. **85**(6): p. 2249-54.
57. Shoemaker, J.K., et al., *Contributions of acetylcholine and nitric oxide to forearm blood flow at exercise onset and recovery.* Am J Physiol, 1997. **273**(5 Pt 2): p. H2388-95.
58. Dietz, N.M., et al., *Nitric oxide contributes to the rise in forearm blood flow during mental stress in humans.* J Physiol, 1994. **480**(Pt 2): p. 361-8.
59. Joyner, M.J. and W. Wieling, *Increased muscle perfusion reduces muscle sympathetic nerve activity during handgripping.* J Appl Physiol, 1993. **75**(6): p. 2450-5.
60. Jie, K., et al., *Modulation of noradrenaline release by peripheral presynaptic alpha 2- adrenoceptors in humans.* J Cardiovasc Pharmacol, 1987. **9**(4): p. 407-13.
61. Joyner, M.J., et al., *Blood flow to contracting human muscles: influence of increased sympathetic activity.* J Appl Physiol, 1990. **68**(4): p. 1453-7.
62. Cambridge, D., M.J. Davey, and R. Massingham, *Prazosin, a selective antagonist of post-synaptic alpha-adrenoceptors [proceedings].* Br J Pharmacol, 1977. **59**(3): p. 514P-515P.
63. Dietz, N.M., et al., *Is nitric oxide involved in cutaneous vasodilation during body heating in humans?* J Appl Physiol, 1994. **76**(5): p. 2047-53.
64. Egan, B., et al., *Mechanism of increased alpha adrenergic vasoconstriction in human essential hypertension.* J Clin Invest, 1987. **80**(3): p. 812-7.
65. Eklund, B. and L. Kaijser, *Effect of regional alpha- and beta-adrenergic blockade on blood flow in the resting forearm during contralateral isometric handgrip.* J Physiol, 1976. **262**(1): p. 39-50.
66. Frewin, D.B. and R.F. Whelan, *The mechanism of action of tyramine on the blood vessels of the forearm in man.* Br J Pharmacol, 1968. **33**(1): p. 105-16.
67. Grossman, E., et al., *Evidence for functional alpha 2-adrenoceptors on vascular sympathetic nerve endings in the human forearm.* Circ Res, 1991. **69**(4): p. 887-97.
68. Johnsson, G., *The effects of intra-arterially administered propranolol and H 56-28 on blood flow in the forearm--a comparative study of two beta-adrenergic receptor antagonists.* Acta Pharmacol Toxicol, 1967. **25**: p. 63-74.
69. Shastry, S., et al., *Effects of atropine and L-NAME on cutaneous blood flow during body heating in humans.* J Appl Physiol, 2000. **88**(2): p. 467-72.

70. Torp, K.D., et al., *beta-Receptor agonist activity of phenylephrine in the human forearm*. J Appl Physiol, 2001. **90**(5): p. 1855-9.
71. Brandao, F., J.G. Monteiro, and W. Osswald, *Differences in the metabolic fate of noradrenaline released by electrical stimulation or by tyramine*. Naunyn-Schmiedebergs Arch. Pharmacol., 1978. **305**: p. 37-40.
72. Brandao, F., et al., *Characteristics of tyramine induced release of noradrenaline: mode of action of tyramine and metabolic fate of the transmitter*. Naunyn-Schmiedebergs Arch. Pharmacol., 1980. **311**: p. 9-15.
73. Lagerwerf, F.M., et al., *Assessment of nitric oxide production by measurement of [15N]citrulline enrichment in human plasma using high-performance liquid chromatography- mass spectrometry*. Anal Biochem, 1998. **257**(1): p. 45-52.
74. Frandsenn, U., et al., *Exercise-induced hyperaemia and leg oxygen uptake are not altered during effective inhibition of nitric oxide synthase with N(G)-nitro-L- arginine methyl ester in humans*. J Physiol, 2001. **531**(Pt 1): p. 257-64.